


08

Scheren  
Scissors  
Ciseaux  
Tijeras  
Forbici

TC-Schneiden  
 TC Cutting Edges  
 Tranchant TC  
 Filos de corte TC  
 Taglio TC



cm	Standard
10,5	<b>08.102.10</b>
11,5	<b>08.102.11</b>
13,0	<b>08.102.13</b>
14,5	<b>08.102.14</b>
15,5	<b>08.102.15</b>
16,5	<b>08.102.16</b>
18,5	<b>08.102.18</b>
20,0	<b>08.102.20</b>



cm	Standard
10,5	<b>08.103.10</b>
11,5	<b>08.103.11</b>
13,0	<b>08.103.13</b>
14,5	<b>08.103.14</b>
15,5	<b>08.103.15</b>
16,5	<b>08.103.16</b>
18,5	<b>08.103.18</b>
20,0	<b>08.103.20</b>



cm	Standard TC
14,5	<b>08.104.14</b>
16,5	<b>08.104.16</b>
18,5	<b>08.104.18</b>



cm	Standard TC
14,5	<b>08.105.14</b>
16,5	<b>08.105.16</b>
18,5	<b>08.105.18</b>

TC-Schneiden  
 TC Cutting Edges  
 Tranchant TC  
 Filos de corte TC  
 Taglio TC



cm	Standard
10,5	<b>08.110.10</b>
11,5	<b>08.110.11</b>
13,0	<b>08.110.13</b>
13,0	<b>08.110.13L</b>
14,5	<b>08.110.14</b>
14,5	<b>08.110.14L</b>
15,5	<b>08.110.15</b>
16,5	<b>08.110.16</b>
18,5	<b>08.110.18</b>
20,0	<b>08.110.20</b>



cm	Standard
10,5	<b>08.111.10</b>
11,5	<b>08.111.11</b>
13,0	<b>08.111.13</b>
13,0	<b>08.111.13L</b>
14,5	<b>08.111.14</b>
14,5	<b>08.111.14L</b>
15,5	<b>08.111.15</b>
16,5	<b>08.111.16</b>
18,5	<b>08.111.18</b>
20,0	<b>08.111.20</b>



cm	Standard TC
14,5	<b>08.114.14</b>
16,5	<b>08.114.16</b>
18,5	<b>08.114.18</b>



cm	Standard TC
14,5	<b>08.115.14</b>
16,5	<b>08.115.16</b>
18,5	<b>08.115.18</b>

(L) = Für Linkshänder / For left-handed  
 Pour la main gauche / Para zurdo / Per mancini

TC-Schneiden  
 TC Cutting Edges  
 Tranchant TC  
 Filos de corte TC  
 Taglio TC



cm	Standard
10,5	<b>08.120.10</b>
11,5	<b>08.120.11</b>
13,0	<b>08.120.13</b>
14,5	<b>08.120.14</b>
15,5	<b>08.120.15</b>
16,5	<b>08.120.16</b>
18,5	<b>08.120.18</b>
20,0	<b>08.120.20</b>



cm	Standard
10,5	<b>08.121.10</b>
11,5	<b>08.121.11</b>
13,0	<b>08.121.13</b>
14,5	<b>08.121.14</b>
15,5	<b>08.121.15</b>
16,5	<b>08.121.16</b>
18,5	<b>08.121.18</b>
20,0	<b>08.121.20</b>



cm	Standard TC
14,5	<b>08.124.14</b>
16,5	<b>08.124.16</b>
18,5	<b>08.124.18</b>



cm	Standard TC
14,5	<b>08.125.14</b>
16,5	<b>08.125.16</b>
18,5	<b>08.125.18</b>

schlanke Modelle  
slender patterns  
modèles fins  
modelos fins  
modelli fini



cm  
12,0 **08.124.12**



cm  
12,0 **08.125.12**




cm  
12,0 **08.126.12**  
13,0 **08.126.13**




cm  
12,0 **08.127.12**  
13,0 **08.127.13**


Inzisionsscheren  
Incision scissors  
Ciseaux à incision  
Tijeras para incision  
Forbici incisione




cm  
14,0 **08.128.14**



cm — DEAVER —  
 14,0 08.130.14 08.131.14




cm — DEAVER —  
 14,0 08.140.14 08.141.14



cm — DEAVER —  
 14,0 08.150.14 08.151.14


TC-Schneiden  
 TC Cutting Edges  
 Tranchant TC  
 Filos de corte TC  
 Taglio TC



cm — DEAVER —  
 14,0 08.134.14 08.135.14



cm — DEAVER —  
 14,0 08.144.14 08.145.14



cm — DEAVER —  
 14,0 08.154.14 08.155.14

TC-Schneiden  
 TC Cutting Edges  
 Tranchant TC  
 Filos de corte TC  
 Taglio TC



cm	MAYO
14,5	<b>08.160.14</b>
14,5	<b>08.160.14L</b>
17,0	<b>08.160.17</b>
17,0	<b>08.160.17L</b>
19,0	<b>08.160.19</b>
23,0	<b>08.160.23</b>
28,0	<b>08.160.28</b>



cm	MAYO
14,5	<b>08.161.14</b>
14,5	<b>08.161.14L</b>
17,0	<b>08.161.17</b>
17,0	<b>08.161.17L</b>
19,0	<b>08.161.19</b>
23,0	<b>08.161.23</b>
28,0	<b>08.161.28</b>



cm	MAYO
14,5	<b>08.164.14</b>
17,0	<b>08.164.17</b>
23,0	<b>08.164.23</b>



cm	MAYO
14,5	<b>08.165.14</b>
17,0	<b>08.165.17</b>
23,0	<b>08.165.23</b>

L = Für Linkshänder / For left-handed  
 Pour la main gauche / Para zurdo / Per mancini

schlanke Modelle  
 slender patterns  
 modèles fins  
 modelos finos  
 modelli fini



<u>cm</u>	<u>MAYO-STILLE</u>
16,0	<b>08.166.16</b>
19,0	<b>08.166.19</b>
21,5	<b>08.166.21</b>

<u>cm</u>	<u>MAYO-STILLE</u>
16,0	<b>08.167.16</b>
19,0	<b>08.167.19</b>
21,5	<b>08.167.21</b>

mit abgeschrägten Schneiden  
 with chamfered blades  
 avec tranchant biais  
 filos en declive  
 con lame inclinate




<u>cm</u>	<u>MAYO-STILLE</u>
14,0	<b>08.172.14</b>
17,0	<b>08.172.17</b>


<u>cm</u>	<u>MAYO-STILLE</u>
14,0	<b>08.173.14</b>
17,0	<b>08.173.17</b>



TC-Schneiden  
TC Cutting Edges  
Tranchant TC  
Filos de corte TC  
Taglio TC



cm MAYO-STILLE  
15,0 **08.170.15**  
17,0 **08.170.17**



cm MAYO-STILLE  
15,0 **08.171.15**  
17,0 **08.171.17**




cm MAYO-STILLE  
15,0 **08.174.15**  
17,0 **08.174.17**




cm MAYO-STILLE  
15,0 **08.175.15**  
17,0 **08.175.17**

TC-Schneiden  
TC Cutting Edges  
Tranchant TC  
Filos de corte TC  
Taglio TC




cm MAYO-NOBLE  
17,0 **08.180.17**



cm MAYO-NOBLE  
17,0 **08.181.17**




cm MAYO-NOBLE  
17,0 **08.184.17**




cm MAYO-NOBLE  
17,0 **08.185.17**

TC-Schneiden  
 TC Cutting Edges  
 Tranchant TC  
 Filos de corte TC  
 Taglio TC



cm	LEXER
16,0	<b>08.190.16</b>
21,0	<b>08.190.21</b>



cm	LEXER
16,0	<b>08.191.16</b>
21,0	<b>08.191.21</b>



cm	LEXER
16,0	<b>08.194.16</b>
21,0	<b>08.194.21</b>



cm	LEXER
16,0	<b>08.195.16</b>
21,0	<b>08.195.21</b>



cm LEXER-FINO  
16,0 **08.197.16**

TC-Schneiden  
TC Cutting Edges  
Tranchant TC  
Filos de corte TC  
Taglio TC



cm LEXER-BABY  
10,0 **08.202.10**



cm LEXER-BABY  
10,0 **08.203.10**



cm LEXER-BABY  
10,0 **08.206.10**



cm LEXER-BABY  
10,0 **08.207.10**

Präparierschere mit Fadenbohrung in der Spitze  
Dissecting scissors, tips with eye for suture  
Ciseaux à dissection avec chas  
Tijera de disección, con ojal en las puntas  
Forbici per dissezione con foro per il filo alla punta



cm LITTLER  
12,0 **08.205.12**  
14,0 **08.205.14**



cm METZENBAUM  
11,5 **08.210.11**  
15,5 **08.210.15**



cm METZENBAUM  
11,5 **08.211.11**  
15,5 **08.211.15**




cm GORNEY  
12,0 **08.212.12**  
19,0 **08.212.19**




cm GORNEY  
19,0 **08.213.19**

TC-Schneiden  
 TC Cutting Edges  
 Tranchant TC  
 Filos de corte TC  
 Taglio TC



cm	METZENBAUM
15,0	<b>08.280.15</b>
15,0	<b>08.280.15L</b>
18,0	<b>08.280.18</b>
18,0	<b>08.280.18L</b>
20,0	<b>08.280.20</b>
23,0	<b>08.280.23</b>
23,0	<b>08.280.23L</b>
25,0	<b>08.280.25</b>
28,0	<b>08.280.28</b>
30,0	<b>08.280.30</b>



cm	METZENBAUM
15,0	<b>08.281.15</b>
15,0	<b>08.281.15L</b>
18,0	<b>08.281.18</b>
18,0	<b>08.281.18L</b>
20,0	<b>08.281.20</b>
23,0	<b>08.281.23</b>
23,0	<b>08.281.23L</b>
25,0	<b>08.281.25</b>
28,0	<b>08.281.28</b>
30,0	<b>08.281.30</b>





cm	METZENBAUM
15,0	<b>08.284.15</b>
18,0	<b>08.284.18</b>
20,0	<b>08.284.20</b>
23,0	<b>08.284.23</b>
25,0	<b>08.284.25</b>
28,0	<b>08.284.28</b>
30,0	<b>08.284.30</b>



cm	METZENBAUM
15,0	<b>08.285.15</b>
18,0	<b>08.285.18</b>
20,0	<b>08.285.20</b>
23,0	<b>08.285.23</b>
25,0	<b>08.285.25</b>
28,0	<b>08.285.28</b>
30,0	<b>08.285.30</b>

L = Für Linkshänder / For left-handed  
 Pour la main gauche / Para zurdo / Per mancini

TC-Schneiden  
 TC Cutting Edges  
 Tranchant TC  
 Filos de corte TC  
 Taglio TC




cm	METZENBAUM FINO
15,0	<b>08.282.15</b>
18,0	<b>08.282.18</b>
20,0	<b>08.282.20</b>
23,0	<b>08.282.23</b>
25,0	<b>08.282.25</b>
28,0	<b>08.282.28</b>

cm	METZENBAUM FINO
15,0	<b>08.283.15</b>
18,0	<b>08.283.18</b>
20,0	<b>08.283.20</b>
23,0	<b>08.283.23</b>
25,0	<b>08.283.25</b>
28,0	<b>08.283.28</b>

cm	METZENBAUM FINO
15,0	<b>08.286.15</b>
18,0	<b>08.286.18</b>
20,0	<b>08.286.20</b>
23,0	<b>08.286.23</b>
25,0	<b>08.286.25</b>
28,0	<b>08.286.28</b>

cm	METZENBAUM FINO
15,0	<b>08.287.15</b>
18,0	<b>08.287.18</b>
20,0	<b>08.287.20</b>
23,0	<b>08.287.23</b>
25,0	<b>08.287.25</b>
28,0	<b>08.287.28</b>




cm METZENBAUM "S"  
18,0 08.291.18




cm METZENBAUM "S"  
18,0 08.295.18


TC-Schneiden  
TC Cutting Edges  
Tranchant TC  
Filos de corte TC  
Taglio TC



cm SANVENERO  
14,0 08.302.14




cm SANVENERO  
14,0 08.303.14



cm JOSEPH  
14,0 08.304.14

Plastik  
Plastic  
Plastique  
Plástica  
Plastica



cm JOSEPH  
14,0 08.305.14




Plastik  
Plastic  
Plastique  
Plástica  
Plastica



gerade  
straight  
croits  
rectas  
rette

cm KILNER  
12,0 **08.308.12**



cm KILNER  
12,0 **08.310.12**  
15,0 **08.310.15**



TC-Schneiden  
TC Cutting Edges  
Tranchant TC  
Filos de corte TC  
Taglio TC

cm KILNER  
12,0 **08.314.12**  
15,0 **08.314.15**

eine Schneide gezahnt  
 one toothed cutting edge  
 une lame dentelée  
 una hoja dentada  
 una lama dentata



cm LOCKLIN  
 16,0 08.315.16



cm LOCKLIN  
 16,0 08.317.16

Plastik  
 Plastic  
 Plastique  
 Plástica  
 Plastica

TC-Schneiden  
 TC Cutting Edges  
 Tranchant TC  
 Filos de corte TC  
 Taglio TC



cm REYNOLDS  
 15,0 08.320.15



cm REYNOLDS  
 15,0 08.321.15  
 18,0 08.321.18



cm REYNOLDS  
 15,0 08.324.15



cm REYNOLDS  
 15,0 08.325.15



cm IRIS  
 9,5 **08.322.09**



cm IRIS  
 9,5 **08.323.09**



cm IRIS  
 10,5 **08.326.10**



cm IRIS  
 9,5 **08.327.10**

Präparierscheren  
 Dissecting Scissors  
 Ciseaux à dissection  
 Tijera de disección  
 Forbici per dissezione

Unterminierscheren  
 Undermining Scissors  
 Ciseaux à tunnellation  
 Tijera para tunelización  
 Forbici per tunnelizzare



cm  
 10,0 **08.328.10**



cm  
 10,0 **08.329.10**



cm  
 9,5 **08.331.09**



cm  
 9,5 **08.333.09**



cm KNAPP  
10,5 **08.336.10**




cm KNAPP  
10,5 **08.337.10**



cm KNAPP  
10,5 **08.338.10**



cm KNAPP  
10,5 **08.339.10**



cm	IRIS-Standard
9,0	<b>08.340.09</b>
10,5	<b>08.340.10</b>
10,5	<b>08.340.10L</b>
11,5	<b>08.340.11</b>
12,5	<b>08.340.12</b>



cm	IRIS-Standard
9,0	<b>08.341.09</b>
10,5	<b>08.341.10</b>
10,5	<b>08.341.10L</b>
11,5	<b>08.341.11</b>
12,5	<b>08.341.12</b>



rund  
 round  
 rond  
 redondo  
 retondo



cm	IRIS-Standard
10,5	<b>08.342.10</b>
11,5	<b>08.342.11</b>

cm	IRIS-Standard
10,5	<b>08.343.10</b>
11,5	<b>08.343.11</b>

L = Für Linkshänder / For left-handed / Pour la main gauche / Para zurdo / Per mancini


TC-Schneiden  
 TC Cutting Edges  
 Tranchant TC  
 Filos de corte TC  
 Taglio TC




cm	IRIS-Standard
11,5	<b>08.344.11</b>



cm	IRIS-Standard
11,5	<b>08.345.11</b>



cm AEBLI  
9,0 08.347.09



cm AEBLI  
9,0 08.349.09



cm IRIS  
11,5 08.351.11



cm IRIS  
11,5 08.354.11



cm    STEVENS  
10,5    **08.360.11**



cm    STEVENS  
10,5    **08.361.11**



cm    STEVENS  
10,5    **08.362.11**



cm    STEVENS  
10,5    **08.363.11**



cm    STEVENS  
10,5    **08.364.10**



cm    STEVENS  
10,5    **08.365.10**



cm    STEVENS  
10,5    **08.366.10**



cm    STEVENS  
10,5    **08.367.10**




cm  
 10,0 **08.369.10**



cm  
 12,5 **08.369.12**

Strabismusscheren  
 Strabismus scissors  
 Ciseaux à strabisme  
 Tijeras para estrabismo  
 Forbici per strabismo

TC-Schneiden  
 TC Cutting Edges  
 Tranchant TC  
 Filos de corte TC  
 Taglio TC



cm  
 11,0 **08.370.11**



cm  
 11,0 **08.371.11**



cm  
 11,0 **08.374.11**



cm  
 11,0 **08.375.11**



Enukleationsscheren  
 Enucleation scissors  
 Ciseaux à énucléation  
 Tijeras para enucleación  
 Forbici per enucleazione



cm LANDOLT  
 11,0 **08.381.11**  
 13,0 **08.381.13**



cm LANDOLT  
 13,0 **08.383.13**



cm HEYMANN  
 18,0 **08.401.18**



cm FOMON  
 14,0 **08.403.14**



cm FOMON  
 15,0 **08.403.15**




cm COTTLE  
 16,0 **08.405.16**



cm COTTLE  
 16,0 **08.407.16**

TC-Schneiden  
 TC Cutting Edges  
 Tranchant TC  
 Filos de corte TC  
 Taglio TC



cm	BEUSE
14,0	<b>08.420.14</b>
18,0	<b>08.420.18</b>



cm	BEUSE
14,0	<b>08.421.14</b>
18,0	<b>08.421.18</b>



aufgewinkelt  
 angled upwards  
 coudée en haut  
 angulada  
 angolari sul piatto

cm	DEAN
17,0	<b>08.425.17</b>




gezahnt, aufgewinkelt  
 toothed, angled upwards  
 dentelés, coudée en haut  
 dentada, angulada  
 dentate, angolari sul piatto

cm	DEAN
17,0	<b>08.427.17</b>


Tonsillen-, Gefäß-Scheren  
Tonsil, Vascular Scissors  
Ciseaux amygdal., vasculaires  
Tijeras, amígdal., vasculares  
Forbici, tonsill., vascolari

**dimeda**<sup>®</sup>


SURGICAL INSTRUMENTS




cm BOETTCHE  
18,0 **08.435.18**




cm GOOD  
19,0 **08.437.19**




cm PRINCE  
17,0 **08.439.17**



cm  
15,0 **08.468.15**




cm  
11,0 **08.470.11**




cm POTTS-DE MARTEL  
21,0 **08.473.21**  
24,0 **08.473.24**



cm MILLS  
22,0 **08.475.22**




POTTS-SMITH



POTTS-SMITH

TC-Schneiden  
 TC Cutting Edges  
 Tranchant TC  
 Filos de corte TC  
 Taglio TC






25°

cm DIETHRICH  
18,0 **08.486.25**



45°

cm DIETHRICH  
18,0 **08.486.45**



60°

cm DIETHRICH  
18,0 **08.486.60**



90°

cm DIETHRICH  
18,0 **08.486.90**




125°

cm DIETHRICH  
18,0 **08.487.25**




125°


cm DIETHRICH  
18,0 **08.488.25**




cm	DE BAKEY
16,0	<b>08.490.16</b>
23,0	<b>08.490.23</b>
28,0	<b>08.490.28</b>



cm	DE BAKEY
16,0	<b>08.491.16</b>
23,0	<b>08.491.23</b>
28,0	<b>08.491.28</b>




cm	DE BAKEY
16,0	<b>08.492.16</b>
23,0	<b>08.492.23</b>
28,0	<b>08.492.28</b>




TC-Schneiden  
 TC Cutting Edges  
 Tranchant TC  
 Filos de corte TC  
 Taglio TC

cm	DE BAKEY
23,0	<b>08.493.23</b>



cm	DE BAKEY
15,5	<b>08.495.15</b>



cm	DE BAKEY
15,5	<b>08.497.15</b>

Parametrium



cm  
22,5 **08.501.22**



cm  
23,0 **08.501.23**


TC-Schneiden  
TC Cutting Edges  
Tranchant TC  
Filos de corte TC  
Taglio TC




cm  
22,5 **08.505.22**



cm  
23,0 **08.505.23**



cm	SIMS
20,0	<b>08.510.20</b>
23,0	<b>08.510.23</b>



cm	SIMS
20,0	<b>08.511.20</b>
23,0	<b>08.511.23</b>




cm	SIMS
23,0	<b>08.514.23</b>




cm	SIMS
23,0	<b>08.515.23</b>

TC-Schneiden  
 TC Cutting Edges  
 Tranchant TC  
 Filos de corte TC  
 Taglio TC



cm	SIEBOLD
24,0	<b>08.523.24</b>




cm	WERTHEIM
22,5	<b>08.525.22</b>




cm	WERTHEIM
22,5	<b>08.527.22</b>

TC-Schneiden  
 TC Cutting Edges  
 Tranchant TC  
 Filos de corte TC  
 Taglio TC







cm DOYEN  
17,5 08.530.17  
18,5 08.530.18




cm DOYEN  
17,5 08.531.17




cm DUBOIS  
27,0 08.536.27



cm DUBOIS  
27,0 08.537.27




cm KELLY  
16,0 08.540.16  
18,0 08.540.18




cm KELLY  
16,0 08.541.16  
18,0 08.541.18

Nabelschnur-Scheren  
 Umbilical Scissors  
 Ciseaux ombilicaux  
 Tijeras umbilicales  
 Forbici ombelicali



cm U.S.A Mod.  
 10,5 **08.550.10**



cm BUSCH  
 16,0 **08.551.16**




cm SCHUMACHER  
 14,0 **08.553.16**



cm WALDMANN  
 18,0 **08.555.18**

Episiotomie  
 Episiotomy  
 Episiotmie  
 Episiotomía  
 Episiotomia



cm BRAUN-STADLER  
 14,5 **08.560.14**  
 20,0 **08.560.20**  
 22,0 **08.560.22**

Nerv-Präparierscheren  
 Nerve dissecting Scissors  
 Ciseaux pour nerfs  
 Tijeras para nervios  
 Forbici per nervi



cm 08.580.11



cm 08.581.11


Neurochirurgie  
Neurosurgery  
Neurochirurgie  
Neurocirugía  
Neurochirurgia




cm  
15,0 **08.582.15**




cm  
15,0 **08.583.15**




cm STRULLY  
22,0 **08.601.22**




cm TOENNIS-ADSON  
18,0 **08.610.18**




cm TOENNIS-ADSON  
18,0 **08.611.18**




cm MC INDOE  
19,0 **08.614.19**



cm DANDY  
17,0 **08.617.17**



cm SCHMIEDEN-TAYLOR  
17,0 **08.619.17**




cm CRAFOORD  
30,0 **08.641.30**




cm THOREK  
19,0 **08.643.18**  
25,0 **08.643.25**



cm SATINSKY  
21,0 08.650.21



cm SATINSKY  
24,5 08.651.24



cm KLINKENBERG-LOTH  
23,0 08.661.23

Lungenlappen- und Rektumscheren  
Lobectomy and rectal scissors  
Ciseaux à lobectomie et pour le rectum  
Tijera para lobectomía y recto  
Forbici per lobo polmonare e per il retto




cm FINOCHIETTO  
27,0 **08.663.27**


cm STELZNER  
30,0 **08.664.30**

cm STELZNER  
30,0 **08.665.30**


Darmscheren  
Enterotomy Scissors  
Ciseaux à entérotomie  
Enterótomos  
Forbici per enterotomia



cm  
21,0 08.770.21




cm  
21,0 08.772.21



cm  
21,0 08.774.21

Ligaturscheren  
Stitch Scissors  
Ciseaux à ligatures  
Tijeras para puntas  
Forbici per legature




cm SPENCER  
9,0 **08.802.09**  
11,0 **08.802.11**  
12,0 **08.802.12**  
15,0 **08.802.15**



cm SHORTBENT  
9,0 **08.803.09**




cm NORTHBENT  
13,0 **08.803.13**



cm LITTAUER  
14,0 **08.804.14**



cm BUCK  
14,5 **08.806.14**  
18,0 **08.806.18**



cm HEATH  
15,0 **08.809.15**



Zahnfleischscheren  
 Gum Scissors  
 Ciseaux à gencives  
 Tijeras para encías  
 Forbici gengivali



cm  
 11,5 **08.815.11**



cm LAGRANGE  
 11,5 **08.817.11**




cm LAGRANGE  
 11,5 **08.819.11**

gezahnt  
 serrated  
 dentelé  
 dentada  
 dentellate



cm GOLDMANN-FOX  
 13,0 **08.820.13**



cm GOLDMANN-FOX  
 13,0 **08.821.13**

gezahnt  
 serrated  
 dentelé  
 dentada  
 dentellate



cm GOLDMANN-FOX  
 13,0 **08.822.13**

TC-Schneiden  
 TC Cutting Edges  
 Tranchant TC  
 Filos de corte TC  
 Taglio TC

gezahnt  
 serrated  
 dentelé  
 dentada  
 dentellate



cm GOLDMANN-FOX  
 13,0 **08.823.13**


Zahnfleischscheren  
 Gum Scissors  
 Ciseaux à gencives  
 Tijeras para encías  
 Forbici gengivali



cm WAGNER  
 12,0 **08.824.12**



cm WAGNER  
 12,0 **08.825.12**



cm QUINBY  
 12,0 **08.827.12**

Draht-, Blehscheren  
 Wire and plate shears  
 Ciseaux à fils et plaques métalliques  
 Tijeras para alambre y chapas  
 Forbice per filo metallo lamiera



cm UNIVERSAL  
 12,0 **08.831.12**



cm UNIVERSAL  
 12,0 **08.835.12**

TC-Schneiden  
 TC Cutting Edges  
 Tranchant TC  
 Filos de corte TC  
 Taglio TC

Draht-, Blehscheren  
 Wire and plate shears  
 Ciseaux à fils et plaques métalliques  
 Tijeras para alambre y chapas  
 Forbice per filo metallo lamiera

gerade  
 straight  
 droites  
 rectas  
 rette



cm BEEBE  
 10,5 **08.850.10**

spitz  
 pointed  
 pointus  
 agudas  
 acute



cm BEEBE  
 10,5 **08.851.10**

gebogen  
 curved  
 courbes  
 curvas  
 curve



cm BEEBE  
 10,5 **08.852.10**

stumpf  
 blunt  
 mouses  
 romas  
 smusse



cm BEEBE  
 10,5 **08.853.10**

gerade  
 straight  
 droites  
 rectas  
 rette



cm BEEBE  
 12,0 **08.854.12**

gezahnt  
 serrated  
 dentelé  
 dentada  
 dentellate



cm BEEBE  
 12,0 **08.855.12**

gebogen  
 curved  
 courbes  
 curvas  
 curve



cm      LANGE  
18,0 **08.896.18**



Gaze  
Gauze  
Gaze  
Gaza  
Garza

cm      SMITH US ARMY  
15,0 **08.898.15**  
16,0 **08.898.16**  
18,0 **08.898.18**  
20,0 **08.898.20**

TC-Schneiden  
 TC Cutting Edges  
 Tranchant TC  
 Filos de corte TC  
 Taglio TC



cm	LISTER
9,5	<b>08.901.09</b>
11,0	<b>08.901.11</b>
14,0	<b>08.901.14</b>
14,0	<b>08.901.14L</b>
16,0	<b>08.901.16</b>
16,0	<b>08.901.16L</b>
18,0	<b>08.901.18</b>
18,0	<b>08.901.18L</b>
20,0	<b>08.901.20</b>

cm	LISTER
14,0	<b>08.902.14</b>


cm	LISTER
18,0	<b>08.903.18</b>
20,0	<b>08.903.20</b>

cm	LISTER
14,0	<b>08.905.14</b>
18,0	<b>08.905.18</b>
20,0	<b>08.905.20</b>

L = Für Linkshänder / For left-handed / Pour la main gauche / Para zurdo / Per mancini



cm BERGMANN  
23,0 **08.911.23**



cm ESMARCH  
20,0 **08.913.20**  
22,0 **08.913.22**



cm DIMEDA Excenter  
16,0 **08.921.16**  
19,0 **08.921.19**



cm ROTES KREUZ  
17,0 **08.927.17**



cm KNOWLES  
14,0 **08.930.14**



cm KNOWLES  
14,0 **08.931.14**



cm LORENZ  
23,0 **08.933.23**

eine Schneide gezahnt  
one serrated cutting edge  
une lame dentelé  
una hoja cortante dentada  
una lama dentada

TC-Schneiden  
TC Cutting Edges  
Tranchant TC  
Filos de corte TC  
Taglio TC



cm BRUNS  
23,0 08.935.23



cm BRUNS  
23,0 08.937.23



cm BRUNS  
23,0 08.939.23



Gipsschere  
Plaster Shear  
Ciseaux pour plâtre  
Tijera para yeso  
Forbice per gesso



cm  
20,0 **08.941.20**



cm **FERGUSSON**  
18,0 **08.942.18**

Verband-Scheren  
 Bandage Scissores  
 Ciseaux à bandages  
 Tijeras para vendajes  
 Forbici per bendaggi

**dimeda**<sup>®</sup>

SURGICAL INSTRUMENTS



cm  
 14,5 **08.952.14**



cm UNIVERSAL

	Black	Blue	Green	Red	Yellow	White
15,0	<b>08.950.15</b>	<b>08.950.15B</b>	<b>08.950.15G</b>	<b>08.950.15R</b>	<b>08.950.15Y</b>	<b>08.950.15W</b>
18,0	<b>08.950.18</b>	<b>08.950.18B</b>	<b>08.950.18G</b>	<b>08.950.18R</b>	<b>08.950.18Y</b>	<b>08.950.18W</b>